

TableDefinition

Physical file: providex.ddf

File header information

Last update.....: 2004/04/16 09:29:59-janer
 Key type.....: External
 Field separator.....: \$8A\$
 File Type.....: Variable Length

Element Name	Description	T Len	Occur	Dlm	Fld/Ofs, Ln
DDF_ID	Unique file identifier External key field(not in IOLIST) Related keys...:1:1:A	S 6			0/1,6
Name	Table Name Related keys...:2:1:AC/ByName,3:2:AC	S 30		Y	1/1,30
PhysicalPath	Path name or internal name	S 120		Y	2/1,120
LastChangeDate	Date/Time structure changed Notes.....:Format is YYYY/MM/DD hh:mm	S 16		Y	3/1,16
IOProgram	Program to intercept IO	S 80		Y	4/1,80
LastChangeBy	Last person changed	S 30		Y	5/1,30
LastUpdatedFile	Physical date file updated	S 16		Y	6/1,16
Description	Description	S 80		Y	7/1,80
Group	Table grouping Related keys...:3:1:AC/ByGroup	S 15		Y	8/1,15
Extension	User/Applications Extensions	S 1024		Y	9/1,1024
AltFormat	Alternate Iolist (not used)	S 200		Y	10/1,200
Seperator	Separator character Notes.....:The seperator character stored in Ascii Hex	S 4		Y	11/1,4
Security	Security Info	S 80		Y	12/1,80
Notes	Notes	S 1024		Y	13/1,1024
Options	File Options Notes.....:Options that can be set in the OPT= clause of the KEYED directive C - Data Compression X - Records > 32k V - Variable Length Records (OPT=0) F - Fixed Length Records (OPT=0) 1 - EFF (2 GB limit)	S 32		Y	14/1,32

TableDefinition

Physical file: providex.ddf

Element Name	Description	T	Len	Occur	Dlm	Fld/Ofs, Ln
2 - EFF (>2 GB limit)						
Version	Language Version	S	8		Y	15/1,8
filler	Filler for additional fields	S	1000		Y	16/1,1000
Record size (including delimiters):						3775

Key definitions

External key:			
DDF_ID			Unique file identifier
ByName:			
Name	C		Table Name
ByGroup:			
Group	C		Table grouping
Name	C		Table Name

ElementDefinition

Physical file: providex.dde

File header information

```

Last update.....: 2004/04/16 09:37
Key type.....: External
Field separator.....: $8A$
File Type.....: Variable Length
Notes.....: Record Formats:
Format #1 (Std element descriptor record)
DDE_DDF_ID - File identifier
DDE_REC_ID - Record identifier
DDE_SEQ - Sequence Number
Format #2 (Optional record for files with external keys, or files using bin
ary auto-increment keys)
DDE_DDF_ID - File identifier
DDE_REC_ID - blank
DDE_SEQ - blank
If the file has an external key, Flags$ will contain a X.
If the file uses a binary auto-increment key, KeyDefinition$ field will con
tain the key information.
Format #3 (Optional header record for non-normalized files with multiple re
cord formats)
DDE_DDF_ID - File identifier
DDE_REC_ID - Record identifier (0-9,A-Z)
DDE_SEQ - Blank
Each record type in a non-normalized file definition will have a header rec
ord with the following information:
Iolobj$ - may be blank or contain VARx where x is the record identifier.
Name$ - Descriptive name of the record type
InternalFormat$ - List of control fields for the record type (;-sep)
Validation$ - List of conditions for control fields (;-sep)

```

Element Name	Description	T Len	Occur	Dlm	Fld/Ofs, Ln
DDE_DDF_ID	File identifier External key field(not in IOLIST) Related keys...:1:1:A,2:1:A/ByName	S 6			0/1,6
DDE_REC_ID	Record ID External key field(not in IOLIST) Validation....:0-9,A-Z Related keys...:1:2:A	S 1			0/7,1
DDE_SEQ	Sequence number External key field(not in IOLIST) Print Format...:00000 Related keys...:1:3:A	S 5			0/8,5

ElementDefinition

Physical file: providex.dde

Element Name	Description	T	Len	Occur	Dlm	Fld/Ofs, Ln
IOLOBJ	Iolist definition	S	50		Y	1/1,50
Name	Field Name Related keys...:2:2:AC	S	30		Y	2/1,30
Description	Description	S	80		Y	3/1,80
Type	Type of field Validation....:S,N	S	1		Y	4/1,1
Length	Length as in nn.nn or nn	S	6		Y	5/1,6
Occurs	Array defintiion	S	10		Y	6/1,10
InternalFormat	Data Storage format	S	1		Y	7/1,1
Validation	Validation Rules	S	40		Y	8/1,40
ExternalFormat	Display format	S	30		Y	9/1,30
Help	Help Reference	S	50		Y	10/1,50
Notes	General Notes	S	1024		Y	11/1,1024
KeyDefinition	Index definitions	S	40		Y	12/1,40
Query	Query Definitions	S	50		Y	13/1,50
Class	Class of data element	S	30		Y	14/1,30
Flags	Internal flags Notes.....:Flags are: X - External key field R - Required field for input U - Convert to Upper case	S	6		Y	15/1,6
DefaultValue	Default value	S	80		Y	16/1,80
AlternateName	Alternate Name	S	30		Y	17/1,30
Tag	User defined Tags	S	250		Y	18/1,250
Security	Security Info	S	80		Y	19/1,80
Extension	User/Applications Extensions	S	1024		Y	20/1,1024

ElementDefinition

Physical file: providex.dde

Element Name	Description	T	Len	Occur	Dlm	Fld/Ofs, Ln
Originator	Originating Owner	S	30		Y	21/1,30
filler	Filler for additional fields	S	800		Y	22/1,800
Record size (including delimiters):						3764

Key definitions

External key:

DDE_DDF_ID	File identifier
DDE_REC_ID	Record ID
DDE_SEQ	Sequence number

ByName:

DDE_DDF_ID	File identifier
Name	Field Name

C